



BASEMENT FLOOR PLAN - STAIR-A

- 1 TIME103
- 2 TIME103
- 3 TIME104
- 4 TIME104



FIRST FLOOR PLAN - STAIR-A

ITEM #	ITEM DESCRIPTION
1	STAIR A
1.1	STAIR A GR
1.2	STAIR A WR



SECOND FLOOR PLAN - STAIR-A


REVIEWER:
 VERIFICATION & CONFIRMATION OF DETAILS, DIMENSIONS, IF CLOUDED ON THIS DRAWING, ARE TO BE CONFIRMED BY THE ENGINEER OR ARCHITECT. CLOUDED ITEMS WILL BE ASSUMED AS BEING CORRECT AND BUILT ACCORDINGLY, UNLESS NOTED OTHERWISE BY THE APPROVER.

DWG. ISSUE	REVISIONS			
DATE	PURPOSE	NO.	DATE	DESCRIPTION
05/07/2023	FOR APVL	△	05/07/2023	APVL
05/19/2023	FOR 2ND APVL	△	05/19/2023	2ND APVL
		△		
		△		
		△		
		△		


REF DWG: A1.1B.A6.1.A6.2 TEKLA

BOLTS (UNS)	HOLES (UNS)	STEEL (ASTM)	HSS (ASTM)	PARTS (ASTM)
A325	13/16" U.N.O.	A572 GR 50 OR A992	A500-GR.C	A36 U.N.O.
FINISH: SHOP STD. PRIMER		SURFACE PREP: SSPC-SP2		
CUSTOMER: _____		DRY FILM THICKNESS: 1.5-2.0 MILS		
PROJECT: _____		WELDING: _____		
ADDRESS: _____		E70XX-LH		
DRAWN BY: _____		CHECKED BY: _____		
JOB NO: _____		SHEET NO: _____		


01ME101



BASEMENT FLOOR PLAN - STAIR-1



FIRST FLOOR PLAN - STAIR-1



CATWALK FLOOR PLAN - STAIR-1

ITEM #	ITEM DESCRIPTION
1	Stair #1
1.1	Stair #1 guardrail
1.2	Stair #1 wall rail


REF DWG: A-401, A-557 TEKLA




DWG. ISSUE		REVISIONS		BOLTS (INQ)	HOLES (INQ)	STEEL ASTM (WF)	HSS (ASTM)	PARTS (ASTM)
DATE	PURPOSE	NO.	DATE	A325	13/16"	A572 GR 50 OR A992	A500-GR.C	A36
01/11/2023	FOR APVL	△	01/11/2023	U.N.O.	U.N.O.			U.N.O.
03/07/2023	FOR 2ND APVL	△	03/07/2023					
04/07/2023	FOR 3RD APVL	△	04/07/2023					
04/28/2023	FOR FLD USE	△	04/28/2023					

FINISH:	SHOP STD. PRIMER	SURFACE PREP:	SSPC-SP3	DRY FILM THICKNESS:	1.5-2.0 MILS
CUSTOMER:	Torcon, Inc.	RD = REF. PT FOR RDS	WELDING:	E70XX-LH	
PROJECT:		⊗ = PAINT STRIPE			
ADDRESS:					
DRAWN BY:		CHECKED BY:			
JOB NO:		SHEET NO:			

01ME101



SECTION
01ME101



SECTION
01ME102

ITEM #	ITEM DESCRIPTION
1	Stair #1
1.1	Stair #1 guardrail
1.2	Stair #1 wall rail

REF DWG: A-401, A-557 TEKLA



DWG. ISSUE		REVISIONS		BOLTS (UNC)	HOLES (UNC)	STEEL ASTM (WF)	HSS (ASTM)	PARTS (ASTM)
DATE	PURPOSE	NO.	DATE	DESCRIPTION	A325	13/16"	A572 GR 50 OR A992	A500-GR.C
01/11/2023	FOR APVL	A	01/11/2023	APVL	U.N.O.	U.N.O.		A36
03/07/2023	FOR 2ND APVL	A	03/07/2023	2ND APVL				U.N.O.
04/07/2023	FOR 3RD APVL	B	04/07/2023	3RD APVL				
04/28/2023	FOR FLD USE	0	04/28/2023	FLD USE				

FINISH:	SHOP STD. PRIMER	SURFACE PREP:	SSPC-SP3	DRY FILM THICKNESS:	1.5-2.0 MILS
CUSTOMER:	Torcon, Inc.	RD = REF. PT FOR RD'S	WELDING:		E70XX-LH
PROJECT:		⊗ = PAINT STRIPE			
ADDRESS:					
DRAWN BY:		CHECKED BY:			
JOB NO:		SHEET NO:			

01ME104